

- Each nut and bolt evolve 4 series of wheel lock: outer pattern wheel lock, tuner wheel lock, outer pattern style + revolving sleeve wheel lock, tuner style + revolving sleeve wheel lock.
- Each series of wheel lock can evolve many different patterns through various shape, size, spline number and space width, increasing the anti-theft performance. Until 2020, "HONG-SHENG WHEEL LOCK" has more than 10,000 different patterns of wheel lock and also continuously increases.




Which pattern do you prefer?

TYPE OF WHEEL LOCK	Durability	Anti-theft	Beauty
outer pattern wheel lock	★★★★★	★★★★	★★★★★
outer pattern style + revolving sleeve wheel lock	★★★★★	★★★★★	★★★★★
tuner wheel lock	★★★★	★★★★★	★★★★★
tuner style + revolving sleeve wheel lock	★★★★	★★★★★	★★★★★






* Thread Size Available: M12×1.50, M12×1.25, M12×1.75, M14×1.50, M14×2.0, M16×1.50, 7/16"-20, 1/2"-20, 9/16"-18.....
 * Surface Treatment:chrome, zinc, blacking, color electrophoretic, color vacuum coating, dacromet.....
 * All wheel locks can be packed in 4 locks+1 key (called 4+1 for short), 4+2, 5+1,5+2, 16+1.....
 * We here only list the regular specification, please inform us if you have any requirement for different design or size.
 * Package Available: plastic bag, double blister, color cardboard box, color plastic box.





K778

- * Thread Size Available: M12×1.50, M12×1.25, M12×1.75, M14×1.50, M14×2.0, M16×1.50, 7/16"-20, 1/2"-20, 9/16"-18...
- * Surface Treatment: chrome, zine, blacking, color electrophoretic, color vacuum coating, dacromet...
- * All wheel locks can be packed in 4 locks+1 key (called 4+1 for short), 4+2, 5+1, 5+2, 16+1.....
- * We here only list the regular specification, please inform us if you have any requirement for different design or size.
- * Package Available: plastic bag, double blister, color cardboard box, color plastic box.



It is for wheel spacer



KEY Tb.≥550N.m

*Ring design on the key makes key and lock match better, and makes the key more durable.






- * Thread Size Available: M12×1.50, M12×1.25, M12×1.75, M14×1.50, M14×2.0, M16×1.50, 7/16"-20, 1/2"-20, 9/16"-18,.....
- * Surface Treatment: chrome, zinc, blacking, color electrophoretic,color vacuum coating, dacromet.....
- * All wheel locks can be packed in 4 locks+1key (called 4+1 for short), 4+2, 5+1, 5+2, 16+1.....

360°rotating ring increases anti-theft application.



46241 (L=27) 46251 (L=35) 46254 (L=30) 46201 46203 (L=40) K670
46240 (L=30) 46200 (L=38) 46253 (L=33) 46202 (L=54) 46252 (L=35)



46410 46440 46421-1 (L=36) 46421 (L=35) 46422 46100
46421-2 (L=38) 46400 (L=38)

Plastic cap can protect pattern. Cap Puller



46210 46213 (L=23) 46211-1 (Φ23) 46650 (L=34) 46651 (L=37 H=15) 46652
46215 (L=27) 46655 (L=37) 46653 (L=40 H=11)




- * We here only list the regular specification,please inform us if you have any requirement for different design or size.
- * Package Available: plastic bag, double blister, color cardboard box, color plastic box.



360°rotating ring increases anti-theft application.



46673 46670 (L=37.5) 46831 46231 (L=37.5) 46600 46220Zn
46672 (L=42.5) 46232 (L=47) 46671 (L=47)



46800 (L=30) 46304 (L=28) 46306 (L=30) 46500 (L=36) 46622
46801 (L=33) 46307 (L=33) 46300 (L=36) 46501 (L=38)
46301 (L=38) 46302 (L=42) 46303 (L=51) 46305 (L=58)

KEY Tb≥550kN.m

Oriented ring makes lock and key match better.



46645-1Zn (L=31) 46230 46640Zn (L=40) 46645Zn
46601 (L=36) 46641Zn (L=46)

WHEEL LOCKS

HONGSHENG



Patent Certificate Number: ZL2018504070



KEY Tb. ≥ 550kN.m



Part No.	Long
53000	26
53001	33
53002	35



Part No.	Long
53200	30
53201	33
53202	35
53203	42
53204	48



Part No.	Long	H	Φ
53300	37.5	15.5	18.5
53301	42	15.5	18.5
53302	47	22	22.5
53303	47	15.5	22.5



Part No.	Hex
K188	2/3"
K187	3/4"
K186	2/3" & 3/4"
K185	3/4" & 13/16"
K181	13/16"
K182	7/8"




*Thread Size Available: M12x1.50, M12x1.25, M14x1.50, M14x1.25, M15x1.25,

*Surface Treatment: chrome, zinc, blacking, color electrophoretic, color vacuum coating, dacromet.....

*All wheel locks can be packed in 4+1, 4+2, 5+1, 16+1, 20+1.....

*We here only list the regular specification, please inform us if you have any requirement for different design or size.


*Package Available: plastic bag, double blister, color cardboard box, color plastic box.




Part No.	Height	Long
73520	20	47
73523	23	50
73525	25	52
73527	27	54
73528	28	55
73530	30	57
73532	32	56
73539	39	66
73545	45	72



Part No.	Height	Long
72520	20	45
72524	24	47
72525	25	50
72526	26	49
72527	27	52
72528	28	53
72530	30	53
72533	33	53.3
72540	40	65
72545	45	70




Part No.	Height	Long
V73523	23	51
V73525	25	53
V73528	28	56
V73530	30	58
V73540	40	68
V73545	45	73



Part No.	Height	Long
72525R13	25	50
72527R13	27	52
72528R13	28	53
72530R13	30	53
72540R13	40	65
72545R13	45	70
72525R14	25	50
72527R14	27	52
72528R14	28	53
72530R14	30	53
72540R14	40	65
72545R14	45	70



Part No.	Height	Long
12V72523	23	50
12V72525	25	52
12V72528	28	55
12V72530	30	57
12V72532	32	59
12V72535	35	62
12V72540	40	67
12V72545	45	72
12V72550	50	77
12V72555	55	82



Part No.	Height	Long
13V72523	23	50
13V72525	25	52
13V72528	28	55
13V72530	30	57
13V72532	32	59
13V72535	35	62
13V72540	40	67
13V72545	45	72
13V72550	50	77
13V72555	55	82



Part No.	Height	Long
14V72523	23	50
14V72525	25	52
14V72528	28	55
14V72530	30	57
14V72532	32	59
14V72535	35	62
14V72540	40	67
14V72545	45	72
14V72550	50	77
14V72555	55	82



Part No.	M	Height	Long
74501Zn	19	40	68
74502Zn	25	40	68
74503Zn	27	40	68
74504Zn	30	43	71
74505Zn	35	48	76
74506Zn	40	53	81






*Thread Size Available: M12x1.50, M12x1.25, M14x1.50, M14x1.25, M15x1.25,

*Surface Treatment: chrome, zinc, blacking, color electrophoretic, color vacuum coating, dacromet.....

*All wheel locks can be packed in 4+1, 4+2, 5+1, 16+1, 20+1.....

*We here only list the regular specification, please inform us if you have any requirement for different design or size.

*Package Available: plastic bag, double blister, color cardboard box, color plastic box.



Part No.	Height
73421	21
73423	23
73425	25
73427	27
73428	28
73430	30
73439	39
73450	50



Part No.	Height
72423	23
72425	25
72427	27
72428	28
72430	30
72440	40
72445	45



Part No.	Height	Long
73480	43	28
74442	58.5	32
74438(H=24 L=63)	L	63
74429(H=29 L=65)	L	65
74439(H=39 L=75)	L	75
74427	71	27
74428	61.5	27.5
K674	42	24

Oriented ring makes lock and key match better.

2/3" Hex
3/4" Hex
13/16" Hex



Part No.	Height	Long
K72423	23	49
K72425	25	51
K72428	28	54
K72430	30	56
K72432	32	58
K72435	35	61
K72440	40	66
K72445	45	71
K72450	50	76
K72455	55	81



Part No.	Height	Long
12V72423	23	49
12V72425	25	51
12V72428	28	54
12V72430	30	56
12V72432	32	58
12V72435	35	61
12V72440	40	66
12V72445	45	71
12V72450	50	76
12V72455	55	81



Part No.	Height	Long
14V72423	23	49
14V72425	25	51
14V72428	28	54
14V72430	30	56
14V72432	32	58
14V72435	35	61
14V72440	40	66
14V72445	45	71
14V72450	50	76
14V72455	55	81



Part No.	Height	Long
K73423	23	50
K73425	25	52
K73428	28	55
K73430	30	57
K73432	32	59
K73435	35	62
K73440	40	67
K73445	45	72
K73450	50	77
K73455	55	82



Part No.	Height	Long
VK73423	23	50
VK73425	25	52
VK73428	28	55
VK73430	30	57
VK73432	32	59
VK73435	35	62
VK73440	40	67
VK73445	45	72
VK73450	50	77
VK73455	55	82



Part No.	Height	Long
F73423	23	48
F73425	25	50
F73428	28	53
F73430	30	55
F73432	32	57
F73435	35	60
F73440	40	65
F73445	45	70
F73450	50	75
F73455	55	80



360° rotating ring increases anti-theft application.

- *Thread Size Available: M12x1.50 , M12x1.25 , M14x1.50 , M14x1.25 , M15x1.25 ,
- *Surface Treatment: chrome, zinc, blacking, color electrophoretic, color vacuum coating, dacromet.....
- *All wheel locks can be packed in 4+1, 4+2, 5+1, 16+1, 20+1.....
- *We here only list the regular specification, please inform us if you have any requirement for different design or size.
- *Package Available: plastic bag, double blister, color cardboard box, color plastic box.



Part No.	Height	Long
73620	20	47
73624	24	51
73627	27	54
73630	30	57
73633	33	60
73640	40	67
73642	42	69
73645	45	72
73648	48	75



Part No.	Height	Long
63620	20	47
63624	24	51
63627	27	54
63630	30	57
63633	33	60
63640	40	67
63642	42	69
63645	45	72
63648	48	75



Part No.	Height	Long
72621	21	48
72624	24	51
72625	25	51
72628	28	56
72635	35	62
72640	40	67
72645	45	72



Part No.	Height	Long
72621SR14	21	44
72624SR14	24	47
72625SR14	25	51
72628SR14	28	51
72635SR14	35	58
72640SR14	40	63
72645SR14	45	68



Part No.	S
74610	20
74611	24
74612	27



Part No.	Height	Long
62621	21	48
62624	24	51
62628	28	56
62635	35	62
62640	40	67
62645	45	72



Part No.	Height	Long
62621SR14	21	44
62624SR14	24	47
62628SR14	28	51
62635SR14	35	58
62640SR14	40	63
62645SR14	45	68



Part No.	S
64610	20
64611	24
64612	27



360°rotating ring increases
anti-theft application.

- *Thread Size Available: M12x1.50 ,M12x1.25 ,M14x1.50 ,M14x1.25 ,M15x1.25 ,
- *Surface Treatment:chrome, zinc, blacking, color electrophoretic, color vacuum coating, dacromet.....
- *All wheel locks can be packed in 4+1, 4+2, 5+1, 16+1, 20+1.....
- *We here only list the regular specification, please inform us if you have any requirement for different design or size.
- *Package Available: plastic bag, double blister, color cardboard box, color plastic box.



Part No.	Height	Long
73224	24	51
73226	26	53
73227	27	52
73228	28	52
73230	30	57
73233	33	60
73240	40	67
73242	42	69
73245	45	72
73248	48	75



Part No.	Height	Long
63224	24	51
63226	26	53
63228	28	55
63230	30	57
63233	33	60
63240	40	67
63242	42	69
63245	45	72
63248	48	75



Part No.	Height	Long
72221	21	48
72224	24	51
72225	25	51
72228	28	55
72230	30	55
72232	32	59
72235	35	62
72240	40	67
72245	45	72



Part No.	Height	Long
62221	21	48
62224	24	51
62228	28	55
62232	32	59
62235	35	62
62240	40	67
62245	45	72



Part No.	Height	Long
72221R14	21	48
72224R14	24	51
72228R14	28	55
72230R14	30	55
72232R14	32	59
72235R14	35	62
72240R14	40	67
72245R14	45	72



Part No.	Height	Long
62221R14	21	48
62224R14	24	51
62228R14	28	55
62232R14	32	59
62235R14	35	62
62240R14	40	67
62245R14	45	72



Part No.	S
74650	20
74651	24
74652	27



Part No.	S
64650	20
64651	24
64652	27



Part No.	Height	Long
V74623	23	50
V74625	25	52
V74628	28	55
V74630	30	57
V74632	32	59
V74635	35	62
V74640	40	67
V74645	45	72
V74650	50	77
V74655	55	82



Part No.	Height	Long
V74623BKZN	23	50
V74625BKZN	25	52
V74628BKZN	28	55
V74630BKZN	30	57
V74632BKZN	32	59
V74635BKZN	35	62
V74640BKZN	40	67
V74645BKZN	45	72
V74650BKZN	50	77
V74655BKZN	55	82



Part No.	Height	Long
72824BK	24	40
72828BK	28	44
72830BK	30	46
72832BK	32	48
72835BK	35	51
72840BK	40	56
72845BK	45	61



Part No.	Height	Long
71628	28	45.5
71636	36	55



Part No.	Height	Long
12V72223	23	49
12V72225	25	51
12V72227	27	53
12V72228	28	54
12V72230	30	56
12V72232	32	58
12V72235	35	61
12V72240	40	66
12V72245	45	71
12V72250	50	76
12V72255	55	81



Part No.	Height	Long
14V72223	23	49
14V72225	25	51
14V72228	28	54
14V72230	30	56
14V72232	32	58
14V72235	35	61
14V72240	40	66
14V72245	45	71
14V72250	50	76
14V72255	55	81



Part No.	Height	Long
74630	25	52
74631	27	54
74632	30	57
74633	35	62



Part No.	Height	Long
74620	25	73.5
74621	28	76.5
74622	30	78.5
74623	35	83.5

Which do you prefer?



KEY Tb. ≥ 550kN.m

The key passed over 72-hour heat treatment and hydrogen treatment. Not only the hardness reach to HRC38-42, but also it's ductility can be ensured and prevent craze.



Plastic cap can protect pattern



Surface Treatment:	chrome plated	zinc plated	dacromet	black zinc	blacking	black electrophoresis	matte black	black chrome	black nickel
	CR	Zn	DC	BKZ	BK	BKE	BKMT	BKC	BKN

WHEEL LOCKS

HONGSHENG

Patent Certificate Number:
ZL2018504070

360°rotating hexagon cap increases
anti-theft application.



Part No.	Height	Long
81024	24	52
81026	26	54
81028	28	56
81030	30	58
81033	33	61
81040	40	68
81042	42	70
81045	45	73
81048	48	76



Part No.	Height	Long
82021	21	44
82024	24	47
82028	28	51
82030	30	53
82032	32	55
82035	35	58
82040	40	63
82045	45	68



Part No.	Height	Long
V81023	23	53
V81025	25	55
V81028	28	58
V81030	30	60
V81032	32	62
V81035	35	65
V81040	40	70
V81045	45	75



Part No.	Long	H1/H2
84019	56	19/24
84024	64	24/32
84034	71	34/39



Part No.	Long	H1/H2
83023	59	23/36
83032	65.5	24/42.5
83024	62	32/39
83021	68	21/45
83025	68	25/45
83026	76	26/53




Part No.	Height	Long
14V82023	23	48
14V82025	25	50
14V82028	28	53
14V82030	30	55
14V82032	32	57
14V82035	35	60
14V82040	40	65
14V82045	45	70

Porsche wheel lock key set



P/N: DGTT36 (20 PCS/SET)



Volkswagen wheel lock key set




P/N: DGTT52 (20 PCS/SET)



Jeep wheel lock key set



P/N: DGTT55 (8 PCS/SET)




P/N: DGTT53



Land Rover 1 wheel lock key set




P/N: DGTT50 (17 PCS/SET)



Audi wheel lock key set



P/N: DGTT37 (20 PCS/SET)



Land Rover 2 wheel lock key set




P/N: DGTT51 (9 PCS/SET)



Toyota wheel lock key set



P/N: DGTT57 (10 PCS/SET)



BMW wheel lock key set



P/N: DGTT38 (20 PCS/SET)



P/N: DGTT39 (20 PCS/SET)



Opel wheel lock key set



P/N: DGTT59 (17 PCS/SET)



P/N: DGTT62 (20 PCS/SET)



Mercedes wheel lock key set



P/N: DGTT60 (30 PCS/SET)



Universal Emergency Lug Nut Remover Set



P/N: DGTT56 (4 PCS/SET)



Heavy duty, versatile, and dependable, ready to tackle any stubborn lug nut or wheel lock that just won't come off. Reverse-tapered Spline removes old, stripped lugs or locks with missing keys with ease. Heat-treated chrome-molybdenum steel construction ensures durability and reliable usage.

BMW mini wheel lock key set



P/N: DGTT63 (20 PCS/SET)



Land Rover Universal Locking Wheel Nut Key



P/N: DGTT58

Introduction:

Socket Key

Step 2: The protruding teeth of the socket key are stuck on the other concave arc of the lock nut, which can be easily removed



The small iron

Step 1: The small iron is stuck on the concave arc of the lock nut





Part No.	Thread	Long
45919	M8×1.25	19
45938	5/16"	38.1
45937	M8×1.25	38.1
45945	5/16"	44.5



Part No.	Thread	Long
45719	M8×1.25	19
45738	5/16"	38.1
45737	M8×1.25	38.1
45745	5/16"	44.5
45700	M10×1.50	37

Mini Locks



The evolution of our product line has now developed innovative security products that can be applied on other aspects than wheels, such as number plates, LED-lights, caps, etc. taking our products up to another level.



Part No.	Thread	Long
45516	M8×1.25	16
45520	M8×1.25	19.5
45538	M8×1.25	38
45544	M8×1.25	44
45561	M8×1.25	61
45570	M6×1.00	12
45571	M6×1.00	20



Part No.	Thread	Long
45102	M8×1.25	31.8
45103	5/16"	31.8
45104	M8×1.25	57.2
45105	5/16"	57.2
45106	M8×1.25	76.2
45107	M6×1	16
45110	M8×1.25	38.1
45111	5/16"	38.1
45108	M8×1.25	44.5
45109	5/16"	44.5



Part No.	Thread	Long
45201	M8×1.25	19
45202	M8×1.25	25.4
45203	M8×1.25	38.1
45204	5/16"	38.1
45205	M8×1.25	44.5
45206	5/16"	44.5
45207	M6×1	16

